CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG    888888       11       222222                SSSSSS
GG         88    88     111      22    22              SS    SS
GG         88    88      11             222             SS
GG  GGGG    888888       11           222               SSSSSS
GG    GG   88    88      11         22                       SS
GG    GG   88    88      11       22                  SS    SS
 GGGGGG     888888    11111111   22222222              SSSSSS
```

CROSSTABS

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JBQS

GENSER BY GRLOC

77/03/27. 19.45.12.

23 MAR - NOTICE OF SPRING VACATION SCHEDULE, NEW VERSION OF
BMD P-SERIES, SEE THE BULLET.

DATA DOCUMENTS/INC SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCONG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1.0	1	6- 6
CONCL	F 1.0	1	7- 7
MR	F 1.0	1	8- 8
PAR	F 1.0	1	9- 9
PAE	F 1.0	1	10- 10
PAM	F 1.0	1	11- 11
DCON	F 1.0	1	13- 13
DCONCL	F 1.0	1	14- 14
DMR	F 1.0	1	15- 15
DPAR	F 1.0	1	16- 16
DPAE	F 1.0	1	17- 17
DPAM	F 1.0	1	18- 18
YCON	F 1.0	1	20- 20
YCONCL	F 1.0	1	21- 21

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
LUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRUNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC-SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GRDCC	F 2. 0	2	15- 16
FRDCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILLFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYF	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/IN 55-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=GENSER(1,7)/GRLOC(0,19)/TABLES=GENSER BY GRLOC
STATISTICS     ALL
READ INPUT DATA
```

042500 CM NEEDED FOR CROSSTABS

DOCUMENTS/IN SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/03/27. PAGE 5

FILE PARIS (CREATION DATE = 77/03/27.)

* CROSSTABULATION OF *

GENSER BY GRLOC

* PAGE 1 OF 2

(Adjusted w/o Paris)

GRLOC

GENSER	COUNT / ROW PCT / COL PCT / TOT PCT	Outside of Fr	Aix & Montpellier	Alencon	Amiens	Bordeaux & Navarre	Bretagne	Caen	Chalons & Metz	Dijon	Grenoble	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
		0.6	3.1	1.3	2.5	4.3	5.0					
1 First of Family		1	5	2	4	7	8	2.5 4	5.6 9	3.7 6	2.5 4	305
		.3	1.6	.7	1.3	2.3	2.6	1.3	3.0	2.0	1.3	47.3
		33.3	71.4	100.0	100.0	87.5	53.3	100.0	81.8	85.7	100.0	
		.2	.8	.3	.6	1.1	1.2	.6	1.4	.9	.6	
2 One Generation		3.2 2	3.2 2	0.0 0	0.0 0	1.6 1	9.5 6	0.0 0	3.2 2	1.6 1	0.0 0	214
		.9	.9	0	0	.5	2.8	0	.9	.5	0	33.2
		66.7	28.6	0	0	12.5	40.0	0	18.2	14.3	0	
		.3	.3	0	0	.2	.9	0	.3	.2	0	
3 Two Generations		0	0	0	0	0	1	0	0	0	0	88
		0	0	0	0	0	1.1	0	0	0	0	13.6
		0	0	0	0	0	6.7	0	0	0	0	
		0	0	0	0	0	.2	0	0	0	0	
4 Three Generations		0	0	0	0	0	0	0	0	0	0	24
		0	0	0	0	0	0	0	0	0	0	3.7
		0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
5 Four Generations		0	0	0	0	0	0	0	0	0	0	9
		0	0	0	0	0	0	0	0	0	0	1.4
		0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
6 Five Generations		0	0	0	0	0	0	0	0	0	0	4
		0	0	0	0	0	0	0	0	0	0	.6
		0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
7 Six Generations		0	0	0	0	0	0	0	0	0	0	1
		0	0	0	0	0	0	0	0	0	0	.2
		0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
COLUMN TOTAL		3 .5	7 1.1	2 .3	4 .6	8 1.2	15 2.3	4 .6	11 1.7	7 1.1	4 .6	645 100.0

(CONTINUED)

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* CROSSTABULATION OF *

GENSER BY GRLOC

* PAGE 2 OF 2

(Adjusted w/o Paris)

GENSER	COUNT / ROW PCT / COL PCT / TOT PCT	11 Limoges & Poitiers	12 Lyon & Orléans	13 Montauban & Toulouse	14 Moulins	15 Orleans & Bourges	16 Paris	17 Rouen	18 Soissons	19 Tours	ROW TOTAL
1 First of Family		20	14	5	6	20	144	18	1	27	305
		12.4	8.7	3.1	3.7	12.4	—	11.2	0.6	16.8	
		6.6	4.6	1.6	2.0	6.6	47.2	5.9	.3	8.9	47.3
		66.7	63.6	83.3	75.0	60.6	34.5	66.7	100.0	75.0	
		3.1	2.2	.8	.9	3.1	22.3	2.8	.2	4.2	
2 One Generation		10	8	0	2	13	151	7	0	9	214
		15.9	12.7	0.0	3.2	20.6	—	11.1	0.0	14.3	
		4.7	3.7	0	.9	6.1	70.6	3.3	0	4.2	33.2
		33.3	36.4	0	25.0	39.4	36.2	25.9	0	25.0	
		1.6	1.2	0	.3	2.0	23.4	1.1	0	1.4	
3 Two Generations		0	0	1	0	0	84	2	0	0	88
		0	0	1.1	0	0	95.5	2.3	0	0	13.6
		0	0	16.7	0	0	20.1	7.4	0	0	
		0	0	.2	0	0	13.0	.3	0	0	
4 Three Generations		0	0	0	0	0	24	0	0	0	24
		0	0	0	0	0	100.0	0	0	0	3.7
		0	0	0	0	0	5.8	0	0	0	
		0	0	0	0	0	3.7	0	0	0	
5 Four Generations		0	0	0	0	0	9	0	0	0	9
		0	0	0	0	0	100.0	0	0	0	1.4
		0	0	0	0	0	2.2	0	0	0	
		0	0	0	0	0	1.4	0	0	0	
6 Five Generations		0	0	0	0	0	4	0	0	0	4
		0	0	0	0	0	100.0	0	0	0	.6
		0	0	0	0	0	1.0	0	0	0	
		0	0	0	0	0	.6	0	0	0	
7 Six Generations		0	0	0	0	0	1	0	0	0	1
		0	0	0	0	0	100.0	0	0	0	.2
		0	0	0	0	0	.2	0	0	0	
		0	0	0	0	0	.2	0	0	0	
COLUMN TOTAL		30 4.7	22 3.4	6 .9	8 1.2	33 5.1	417 64.7	27 4.2	1 .2	36 5.6	645 100.0

RAW CHI SQUARE = 121.04621 WITH 108 DEGREES OF FREEDOM. SIGNIFICANCE = .1850

CRAMER≠S V = .17686

CONTINGENCY COEFFICIENT = .39751

LAMBDA (ASYMMETRIC) = .02353 WITH GENSER DEPENDENT. = 0 WITH GRLOC DEPENDENT.

LAMBDA (SYMMETRIC) = .01408

UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .10181 WITH GENSER DEPENDENT. = .08032 WITH GRLOC DEPENDENT.

UNCERTAINTY COEFFICIENT (SYMMETRIC) = .08980

KENDALL≠S TAU B = .14728. SIGNIFICANCE = .0000

DATA DOCUMENTS/INC-SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

KENDALL≠S TAU C = .10424. SIGNIFICANCE = .0000
GAMMA = .25824
SOMERS≠S D (ASYMMETRIC) = .15686 WITH GENSER DEPENDENT. = .13829 WITH GRLOC DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .14699
ETA = .38122 WITH GENSER DEPENDENT.
ETA = .20944 WITH GRLOC DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 154

UNIVERSITY OF COLORADO COMPUTING CENTER